




# PRS-06

## 孔轴通用密封




材料: PU-15594  
硬度: HA 93  
TR-10: -42℃  
最高使用温度: 100℃  
速度: 0.03~0.5m/s  
工作介质: 液压油、水、醇类

- 活塞杆表面应进行0.1~0.4mRa的抛光
- 缸筒内表面应进行0.1~0.6umRa的抛光
- 带储油槽结构设计有效降低摩擦力
- 带泄油槽设计有效避免背压产生
- 若需加挡圈，则H+挡圈高度即可


d(mm)	D(mm)	S(mm)	H(mm)
8	16	5	6
10	18	5	6
12	20	5	6
14	22	5	6
15	21	4	5
15	22	5	6
15	22	6	7
15	22	8	9
15	23	5	6
15	25	5	6
15	25	6	7
15	25	7	8
15	25	8	9
15	25	10	11
15	26	5	6
15	27	7	8
15	30	8	9
15	30	10	11
15.4	25.5	6.5	7.5
15.8	20	3	3.5
16	20	6	7
16	22	4	5
16	22	4.5	5.5
16	22	5	6
16	22	6	7
16	22	7	8
16	22	8	9
16	24	4	5
16	24	6	7
16	24	8	9

d(mm)	D(mm)	S(mm)	H(mm)
16	24	9	10
16	24	5	6
16	25	5	6
16	25	6	7
16	26	5	6
16	26	6	7
16	26	7	8
16	26	8	9
16	28	6	7
16	30	5	6
16	30	6	7
16	31	7	8
16	32	8	9
16	36	5	6
17	25	5	6
17	25	5.5	6.5
17	25	6	7
17	26	6	7
17	27	5	6
17	27	6	7
17	30	6	7
17	30	7	8
17	32	7	8
18	22	8	9
18	24	5	6
18	24	6	7
18	24	8	9
18	25	5	6
18	25	6	7
18	25.5	5	6



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
18	26	6	7
18	26	7	8
18	26	8	9
18	26	5	6
18	28	5	6
18	28	6	7
18	28	7	8
18	28	8	9
18	30	6	7
18	30	8	9
18	30	10	11
18	31	8	9
18	32	7	8
18	34	8	9
18	38	6	7
19	25	5	6
19	25	6	7
19	25	7	8
19	26	5	6
19	26	7	8
19	34	8	9
20	25	5	6
20	26	3	3.5
20	26	3.2	3.5
20	26	3.3	4
20	26	5	6
20	26	6	7
20	26	7	8
20	27	6	7
20	28	6	7
20	28	5	6
20	28	4	5
20	28	4.5	5.5
20	28	5.5	6.5
20	28	7	8
20	28	8	9
20	30	5	6
20	30	6	7
20	30	7	8
20	30	8	9
20	30	10	11
20	31	8	9
20	32	6	7
20	32	7	8
20	32	8	9
20	33	5	6
20	33	8	9
20	33	10	11
20	34.5	12	13
20	35	7	8

d(mm)	D(mm)	S(mm)	H(mm)
20	35	8	9
20	35	10	11
20	36	8	9
20	37	12	13
20	38	10	11
20	40	8	9
20	40	10	11
20	40	12	13
22	26	2.8	3.5
22	28	4	5
22	28	4.5	5.5
22	28	6	7
22	28	8	9
22	29	5	6
22	30	5	6
22	30	4	5
22	30	4.5	5.5
22	30	6	7
22	30	7	8
22	30	8	9
22	32	5	6
22	32	6	7
22	32	7.2	8.2
22	32	8	9
22	32	10	11
22	33	10	11
22	34	7	8
22	34	10	11
22	35	6	7
22	35	7	8
22	35	8	9
22	35	10	11
22	36	9	10
22	38	8	9
22	40	10	11
22	40	12	13
22.4	30	5	6
22.4	32.4	8	9
22.5	31.5	5	6
22.7	33	5.3	6.3
23	30	5	6
23	35	6	7
23.5	31.5	5	6
24	30	6	7
24	32	4	5
24	32	6	7
24	32	7	8
24	32	5	6
24	34	5	6
24	34	6	7



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
24	34	7	8
24	36	6	7
24	36	8	9
24	40	9	10
25	30	6	7
25	31	6	7
25	32	4	5
25	32	5	6
25	32	7	8
25	32	8	9
25	33	5.5	6.5
25	33	6	7
25	33	7	8
25	33	8	9
25	33	10	11
25	33	5	6
25	34	5	6
25	34	6	7
25	35	5	6
25	35	6	7
25	35	7	8
25	35	7.3	8.3
25	35	8	9
25	35	10	11
25	36	6	7
25	37	7	8
25	38	7	8
25	38	8	9
25	38	10	11
25	40	6	7
25	40	6.5	7.5
25	40	7	8
25	40	8	9
25	40	10	11
25	41	7	8
25	42	8	9
25	42	9	10
25	43	7	8
25	43	8	9
25	45	7	8
25	45	8	9
25	45	10	11
25	50	10	11
25.4	30.2	6	7
26	32	4.7	5.5
26	32	6	7
26	34	6	7
26	36	6	7
26	36	8	9
26	36	10	11

d(mm)	D(mm)	S(mm)	H(mm)
26	38	8	9
26	47	12	13
27	35	5	6
27	35	10	11
27	36	6	7
27	37	6	7
27	38	7	8
28	35	5	6
28	35	6	7
28	35.5	5	6
28	36	4	5
28	36	6	7
28	36	7	8
28	36	8	9
28	36	10	11
28	36	5	6
28	36	6	7
28	38	5	6
28	38	6	7
28	38	7	8
28	38	7.3	8.3
28	38	8	9
28	38	10	11
28	40	8	9
28	40	10	11
28	42	7	8
28	42	10	11
28	43	10	11
28	44	8	9
28	45	8	9
28	50	13	14
30	36	6	7
30	36	8	9
30	37	6	7
30	37	8	9
30	38	5	6
30	38	5.7	6.5
30	38	7	8
30	38	8	9
30	38	6	7
30	39	5	6
30	40	5	6
30	40	5.5	6.5
30	40	6.5	7.5
30	40	7	8
30	40	7.3	8.3
30	40	8	9
30	40	10	11
30	40	6	7
30	42	5	6



作为活塞杆密封

$r \leq 0.3$




作为活塞密封

d(mm)	D(mm)	S(mm)	H(mm)
30	42	6	7
30	42	7	8
30	42	8	9
30	42	9	10
30	42	10	11
30	43	6.5	7.5
30	43	10	11
30	43.6	9.5	10.5
30	44	5.5	6.5
30	45	6	7
30	45	8	9
30	45	9	10
30	45	10	11
30	46	10	11
30	47	10	11
30	48	8	9
30	48	10	11
30	50	9	10
30	50	10	11
30	50	11	12
30	50	12	13
30	52	10	11
31	47	10	11
31.5	41.5	6	7
31.5	44.3	9.5	10.5
31.5	46.5	10	11
31.8	41.3	6.3	7
32	39	8	9
32	40	4	5
32	40	5	6
32	40	5.5	6.5
32	40	5.7	6.5
32	40	6.3	7
32	40	8	9
32	40	10	11
32	40	7	8
32	40	6	7
32	42	7	8
32	42	7.3	8.3
32	42	8	9
32	42	8.2	9.2
32	42	10	11
32	42	6	7
32	44	6.3	7
32	45	6	7
32	45	8	9
32	45	10	11
32	46	10	11
32	47	10	11
32	48	8	9


d(mm)	D(mm)	S(mm)	H(mm)
32	48	10	11
32	50	10	11
32	52	10	11
32.5	38	8	9
33	39	8	9
33	40	8	9
33	42	8	9
34	40	4	5
34	40	6	7
34	45	8	9
34	50	12	13
35	41	5	6
35	42	7	8
35	42	10	11
35	43	5	6
35	43	6.3	7
35	43	7	8
35	43	8	9
35	43	10	11
35	43	6	7
35	44	7	8
35	45	7	8
35	45	8	9
35	45	10	11
35	45	6	7
35	45	5	6
35	46	6	7
35	46	8	9
35	46	9	10
35	46	10	11
35	47	6	7
35	47	7	8
35	48	6	7
35	48	8	9
35	48	10	11
35	50	8	9
35	50	9	10
35	50	10	11
35	51	10	11
35	55	10	11
35	55	12	13
35.5	45	6	7
35.5	50.5	10	11
36	43	8	9
36	44	4	5
36	44	5.3	6.3
36	44	6	7
36	44	8	9
36	45	6.5	7.5
36	46	7	8





作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
36	46	9	10
36	46	10	11
36	46	6	7
36	48	4	5
36	48	8	9
36	48	10	11
37	47	8	9
37	47	10	11
38	45	4.8	5.5
38	45	5	6
38	45	6	7
38	45	6.5	7.5
38	45.5	6	7
38	46	6	7
38	46	8	9
38	48	6	7
38	48	7	8
38	48	8	9
38	48	10	11
38	50	6	7
38	50	8	9
38	50	9	10
38	50	10	11
38	51	10	11
38	52	10	11
38	54	10	11
38	55	10	11
38	58	9.7	10.7
38	58	10	11
38	60	10	11
38	62	12	13
39	48	6.5	7.5
39	54	10	11
39	58	13	14
40	48	5	6
40	48	6	7
40	48	8	9
40	48	10	11
40	48	11	12
40	50	5	6
40	50	6.5	7.5
40	50	7	8
40	50	7.3	8.3
40	50	8	9
40	50	9	10
40	50	10	11
40	50	12	13
40	50	6	7
40	52	7	8
40	52	8	9

d(mm)	D(mm)	S(mm)	H(mm)
40	52	10	11
40	52	12	13
40	53	8	9
40	53	8.5	9.5
40	55	7	8
40	55	8	9
40	55	10.2	11.2
40	55	9	10
40	55	10	11
40	56	6	7
40	57	7.5	8.5
40	60	8	9
40	60	10	11
40	60	12	13
40	62	6	7
40	63	13	14
40	65	10	11
40	65	12	13
41	50.8	7.3	8
41	51	7	8
41	57	10	11
41	61	10	11
42	50	5	6
42	50	6	7
42	50	8	9
42	52	6	7
42	52	7	8
42	52	8	9
42	52	10	11
42	52	12	13
42	53	9	10
42	55	7	8
42	55	8	9
42	62	12	13
43	53	7.5	8.5
43	55	6	7
43	55	10	11
44	50	8.5	9.5
44.5	54.5	6	7
45	52	8	9
45	52	10	11
45	53	5.3	6.3
45	53	6	7
45	53	10	11
45	53	8	9
45	54	6	7
45	55	5	6
45	55	6.5	7.5
45	55	7	8
45	55	7.5	8.5



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
45	55	8	9
45	55	9	10
45	55	10	11
45	55	12	13
45	55	6	7
45	56	10	11
45	56	7	8
45	57.7	9.5	10.5
45	58	7	8
45	58	8	9
45	58	10	11
45	58	12	13
45	60	12	13
45	60	9	10
45	60	10	11
45	61	10	11
45	62	10	11
45	63	8	9
45	63	10	11
45	63	12	13
45	65	6	7
45	65	8	9
45	65	10	11
45	65	12	13
45	66	10	11
45	70	12	13
45	70	15.5	17.5
45	70	16	18
46	56	6	7
46	56	8	9
46	62	10	11
47	55	10	11
47	57	7	8
47	57	10	11
48	57	10	11
48	58	6	7
48	58	8	9
48	58	10	11
48	60	6	7
48	60	7.9	8.9
48	60	10	11
48	60	12	13
48	62	12	13
48	63	10	11
49	60	8	9
49.5	57	5	6
50	57	10	11
50	58	5.3	6.3
50	58	6	7
50	58	8	9

d(mm)	D(mm)	S(mm)	H(mm)
50	58	10	11
50	58	12	13
50	60	5	6
50	60	6.5	7.5
50	60	12	13
50	60	8	9
50	60	7	8
50	60	6	7
50	60	10	11
50	62	8.5	9.5
50	62	9	10
50	62	9.5	10.5
50	62	10	11
50	62	12	13
50	63	6	7
50	63	6.5	7.5
50	63	8	9
50	63	10	11
50	63	9	10
50	63	10	11
50	65	6	7
50	65	7	8
50	65	7.5	8.5
50	65	8	9
50	65	9	10
50	65	10	11
50	65	12	13
50	66	12	13
50	68	10	11
50	70	8	9
50	70	9	10
50	70	10	11
50	70	12	13
50	70	18	20
50	72	10	11
50	75	12.5	13.5
50.9	70	13	14
51	66	14	15
51	70	12	13
52	62	6	7
52	62	7	8
52	62	12	13
52	64	6	7
52	65	6	7
52	65	8	9
52	70	12	13
52	72	10	11
53	63	6.5	7.5
53	63	8	9
53	63	6	7



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
53	63	10	11
53	65	8	9
53	73	12	13
54	64	6	7
54	70	12	13
55	63	8	9
55	63	10	11
55	65	5	6
55	65	7	8
55	65	10	11
55	65	12	13
55	65	8	9
55	65	6	7
55	66	10	11
55	68	10	11
55	70	7	8
55	70	7.5	8.5
55	70	8	9
55	70	9	10
55	70	12	13
55	70	10	11
55	71	12	13
55	72	10	11
55	72	12	13
55	75	8	9
55	75	9	10
55	75	10	11
55	75	12	13
55	76	10	11
56	66	6.5	7.5
56	66	8.5	9.5
56	66	10	11
56	66	6	7
56	71	9	10
56	71	11.5	12.5
56	72	12	13
56	76	12	13
57	63	8	9
57	63	10	11
58	68	14	15
58	68	6	7
58	70	8	9
58	78	12	13
60	68	6	7
60	68	8	9
60	68	11.5	12.5
60	68	14	15
60	70	5	6
60	70	7	8
60	70	9	10

d(mm)	D(mm)	S(mm)	H(mm)
60	70	12	13
60	70	8	9
60	70	6	7
60	70	10	11
60	71	7	8
60	72	10	11
60	73	8	9
60	75	8	9
60	75	10	11
60	75	12	13
60	75	13	14
60	75	9	10
60	76	12	13
60	80	6	7
60	80	10	11
60	80	18	20
60	80	12	13
60	85	10	11
60	85	12	13
60	85	12.5	13.5
60	90	15	17
60	90	16	18
61	67	5	6
61	71	6	7
61	71	6.5	7.5
61	76	6	7
61	78	15.5	17.5
62	70	10	11
62	72	10	11
62	75	10	11
62	78	10	11
62	80	10	11
62	82	10	11
62	82	12	13
63	71	8	9
63	73	12	13
63	73	6	7
63	75	6	7
63	75	10	11
63	75	11.5	12.5
63	75	12	13
63	75	14	15
63	78	12	13
63	78	10	11
63	80	9	10
63	80	10	11
63	80	12	13
63	80	16	18
63	83	12	13
64	76	9.5	10.5



作为活塞杆密封

$r \leq 0.3$




作为活塞密封

d(mm)	D(mm)	S(mm)	H(mm)
64	80	8	9
64	80	12	13
65	72	10	11
65	73	8	9
65	73	11.5	12.5
65	75	8	9
65	75	9	10
65	75	10	11
65	75	12	13
65	75	6	7
65	76	10	11
65	78	10	11
65	79	10	11
65	80	7.5	8.5
65	80	8	9
65	80	8.4	9.4
65	80	11	12
65	80	9	10
65	80	12	13
65	80	10	11
65	85	10	11
65	85	12	13
65	86	10	11
65	95	15	17
66	76	8	9
67	77	6	7
67	77	9.5	10.5
67	77	12	13
67	87	12	13
67	95	11.5	12.5
68	78	12	13
68	80	9	10
68	80	10	11
69	83	8	9
70	78	8	9
70	78	10	11
70	80	5	6
70	80	6.5	7.5
70	80	7	8
70	80	8	9
70	80	6	7
70	80	12	13
70	80	10	11
70	81	10	11
70	82	9	10
70	82	10	11
70	82	12	13
70	83	10	11
70	83	12	13
70	84	10	11


d(mm)	D(mm)	S(mm)	H(mm)
70	85	7	8
70	85	8	9
70	85	10.5	11.5
70	85	11.4	12.4
70	85	9	10
70	85	12	13
70	85	10	11
70	90	13	14
70	90	13.5	14.5
70	90	15	17
70	90	18	20
70	90	10	11
70	90	12	13
70	91	10	11
70	92	12	13
70	95	12	13
71	80	6	7
71	81	6	7
71	91	12	13
73	85	10	11
75	83	11	12
75	85	7	8
75	85	8	9
75	85	10	11
75	85	12	13
75	85	6	7
75	86	10	11
75	88	10	11
75	90	12	13
75	90	9	10
75	90	10	11
75	95	10	11
75	95	13	14
75	95	13.5	14.5
75	95	14	15
75	95	12	13
75	100	15	17
76	82	5	6
76	86	14	15
76	91	14	15
76	92	12	13
76.5	90.5	10	11
78	86	14	15
78	95	11.5	12.5
80	88	8	9
80	90	5	6
80	90	11	12
80	90	12	13
80	90	8	9
80	90	6	7





作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
80	90	10	11
80	91	10	11
80	92	8.7	9.7
80	92	14	15
80	93	8	9
80	94	10	11
80	95	8	9
80	95	10	11
80	95	11	12
80	95	9	10
80	95	12	13
80	96	12	13
80	100	9.5	10.5
80	100	10	11
80	100	13	14
80	100	13.5	14.5
80	100	15	17
80	100	12	13
80	105	12	13
80	110	12	13
80	110	15	17
81	100	16	18
82	97	10	11
83	94	6.2	7
85	93	8	9
85	93	11.5	12.5
85	95	5	6
85	95	6	7
85	95	8.5	9.5
85	95	9	10
85	95	12	13
85	95.5	6	7
85	96	10	11
85	97	9	10
85	99	8	9
85	100	8	9
85	100	10	11
85	100	9	10
85	100	12	13
85	105	10	11
85	105	15	17
85	105	18	20
85	105	12	13
85	110	12	13
86	96	11.5	12.5
87	95	11.5	12.5
88	100	9	10
88	100	14	15
90	98	8	9
90	98	12	13

d(mm)	D(mm)	S(mm)	H(mm)
90	100	5	6
90	100	6	7
90	100	6.5	7.5
90	100	7	8
90	100	9	10
90	100	10	11
90	100	11.5	12.5
90	100	8	9
90	100	12	13
90	102	9	10
90	102	10	11
90	102	14	15
90	105	10	11
90	105	11.5	12.5
90	105	9	10
90	105	12	13
90	110	9	10
90	110	10	11
90	110	13	14
90	110	15	17
90	110	12	13
90	115	12	13
90	115	15	17
90	120	12	13
90	125	15	17
91	97	5	6
93	105	9	10
95	105	7	8
95	105	11.5	12.5
95	105	12	13
95	105	14	15
95	105	10	11
95	110	10	11
95	110	9	10
95	110	12	13
95	115	13.5	14.5
95	115	15	17
95	115	18	20
95	115	12	13
95	120	12	13
95	120	13	14
97	105	14	15
98	112	9	10
100	110	5	6
100	110	8	9
100	110	10	11
100	110	12	13
100	110	14	15
100	110	15	17
100	110	6	7



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
100	110	11	12
100	112	14	15
100	112	9	10
100	115	10	11
100	115	15	17
100	115	9	10
100	115	12	13
100	120	10	11
100	120	13.5	14.5
100	120	15	17
100	120	12	13
100	125	10	11
100	125	15	17
100	125	12	13
100	130	15	17
100.4	115	9	10
104	117	5.3	6.3
104.5	117	5.3	6.3
105	112	12	13
105	113	11	12
105	115	9	10
105	115	12	13
105	115	13.5	14.5
105	120	11	12
105	120	12	13
105	120	13	14
105	120	15	17
105	120	9	10
105	120	8	9
105	125	10	11
105	125	11	12
105	125	13	14
105	125	16	18
105	125	15	17
105	125	12	13
105	130	12	13
105	130	13	14
106	120	9	10
106	121	9	10
106	126	16	18
107	113	5	6
107	130	15	17
110	120	10.5	11.5
110	120	12	13
110	124	9.5	10.5
110	125	11	12
110	125	15	17
110	125	9	10
110	125	12	13
110	130	9	10

d(mm)	D(mm)	S(mm)	H(mm)
110	130	16	18
110	130	15	17
110	130	12	13
110	135	15	17
110	140	15	17
110	140	18	20
110	145	15	17
112	125	9	10
112	127	12	13
112	132	15	17
112	132	16	18
113	125	14	15
115	125	10	11
115	125	12	13
115	130	10	11
115	130	12	13
115	130	13.5	14.5
115	130	14.5	15.5
115	130	15	17
115	130	9	10
115	135	12	13
115	135	15	17
115	140	12	13
115	140	15	17
117	130	10	11
117	130	12	13
118	126	14	15
118	130	10	11
118	130	12	13
120	128	6	7
120	128	11.5	12.5
120	128	12	13
120	130	5	6
120	130	12	13
120	130	13	14
120	130	14	15
120	132	12	13
120	135	12	13
120	135	9	10
120	140	10	11
120	140	13	14
120	140	16	18
120	140	15	17
120	140	12	13
120	145	12	13
120	145	15	17
120	145	18	20
120	150	15	17
124	145	15	17
125	133	11.5	12.5



作为活塞杆密封


$r \leq 0.3$



作为活塞密封


d(mm)	D(mm)	S(mm)	H(mm)
125	135	12	13
125	140	10	11
125	140	11	12
125	140	13	14
125	140	15	17
125	140	9	10
125	140	12	13
125	145	16	18
125	145	15	17
125	145	12	13
125	150	15	17
125	150	19	21
125	155	15	17
126	132	5	6
130	140	6	7
130	140	10.5	11.5
130	140	12	13
130	145	10	11
130	145	12	13
130	145	15	17
130	145	9	10
130	150	10	11
130	150	16	18
130	150	15	17
130	150	12	13
130	155	12	13
130	155	15	17
130	160	15	17
130	165	15	17
132	145	9	10
132	152	15	17
135	143	12	13
135	145	12	13
135	145	13	14
135	150	9	10
135	150	10	11
135	150	11	12
135	150	15	17
135	150	12	13
135	155	12	13
135	155	15	17
135	160	15	17
135	160	19	21
135	165	15	17
136	150	9	10
140	148	7	8
140	148	11.5	12.5
140	150	5	6
140	150	6	7
140	150	11	12

d(mm)	D(mm)	S(mm)	H(mm)
140	150	12	13
140	150	13.5	14.5
140	150	15	17
140	152	10	11
140	152	14	15
140	155	10	11
140	155	12	13
140	155	15	17
140	155	9	10
140	157	6	7
140	160	9	10
140	160	10	11
140	160	14	15
140	160	16	18
140	160	15	17
140	160	12	13
140	165	15	17
140	170	15	17
141	151	14	15
143	151	14	15
144	160	18	20
145	160	12	13
145	160	9	10
145	165	12	13
145	165	15	17
145	170	15	17
145	175	15	17
148	160	14	15
150	160	10.5	11.5
150	165	15	17
150	165	9	10
150	170	12	13
150	170	16	18
150	170	10	11
150	170	15	17
150	175	15	17
150	175	16	18
150	180	15	17
150	180	18	20
155	165	12.5	13.5
155	170	9	10
155	175	12	13
155	180	16	18
155	180	19	21
155	180	15	17
160	170	7.5	8.5
160	170	12	13
160	175	7.5	8.5
160	175	10	11
160	175	12	13



作为活塞杆密封

$r \leq 0.3$




作为活塞密封

d(mm)	D(mm)	S(mm)	H(mm)
160	175	15	17
160	175	16	18
160	175	9	10
160	180	10	11
160	180	16	18
160	180	15	17
160	180	12	13
160	185	15	17
160	185	16	18
160	185	18	20
160	185	19	21
160	185	12	13
160	190	15	17
160	190	18	20
160	195	17	19
162	172	14	15
164	180	18	20
165	177	9	10
165	180	15	17
165	180	9	10
165	185	15	17
165	190	15	17
165	190	16	18
165	190	19	21
170	180	12	13
170	185	9	10
170	190	12	13
170	190	15	17
170	195	12	13
170	195	15	17
170	195	16	18
170	195	19	21
170	200	15	17
170	200	18	20
170	215	20	22
171	179	14	15
175	190	10	11
175	190	16	18
175	200	16	18
175	200	19	21
175	200	15	17
175	205	15	17
180	188	11.5	12.5
180	190	10	11
180	200	10	11
180	200	12.5	13.5
180	200	16	18
180	200	15	17
180	200	12	13
180	205	12	13


d(mm)	D(mm)	S(mm)	H(mm)
180	205	15	17
180	205	16	18
180	205	18	20
180	210	15	17
180	210	22	24
180	215	15	17
183	193	14	15
184	200	18	20
185	195	12	13
185	195	12.5	13.5
185	200	7.5	8.5
185	200	9	10
185	200	12	13
185	200	15	17
185	205	15	17
185	210	15	17
185	210	16	18
185	215	15	17
190	200	12.5	13.5
190	205	15	17
190	205	16	18
190	210	12	13
190	210	15	17
190	215	15	17
190	215	16	18
190	220	15	17
190	220	16	18
190	220	18	20
190	220	22	24
190	225	15	17
195	220	15	17
197	208	12	13
200	215	12	13
200	216	18	20
200	220	12	13
200	220	15	17
200	220	18	20
200	225	15	17
200	225	16	18
200	225	18	20
200	225	20	22
200	230	15	17
200	230	18	20
200	230	22	24
200	235	20	22
200	240	12	13
205	230	10	11
205	230	16	18
205	230	20	22
207	217	14	15





作为活塞杆密封

$r \leq 0.3$




作为活塞密封

d(mm)	D(mm)	S(mm)	H(mm)
210	225	15	17
210	230	12	13
210	230	14	15
210	230	15	17
210	235	15	17
210	235	18	20
210	240	15	17
210	240	18	20
212	237	18	20
215	225	12.5	13.5
215	240	15	17
215	240	16	18
215	240	18	20
215	240	19	21
220	236	18	20
220	240	12	13
220	240	15	17
220	245	18	20
220	250	18	20
220	250	22	24
220	250	15	17
222	234	12	13
225	240	12	13
225	250	19	21
225	255	26	29
230	250	12	13
230	250	12.5	13.5
230	250	15	17
230	250	18	20
230	255	18	20
230	260	18	20
230	260	22	24
235	255	12	13
235	260	16	18
235	260	19	21
240	260	16	18
240	265	16	18
240	270	18	20
245	270	19	21
250	266	18	20
250	270	12	13
250	270	15	17
250	270	18	20
250	275	18	20
250	275	19	21
250	280	18	20
250	280	19	21
250	280	25	28
255	280	16	18
255	280	19	21

d(mm)	D(mm)	S(mm)	H(mm)
260	280	18	20
260	290	18	20
264	280	18	20
265	290	19	21
265	295	19	21
270	300	15	17
270	300	18	20
275	300	16	18
280	300	15	17
280	300	16	18
280	300	18	20
280	305	16	18
280	310	18	20
280	310	20	22
280	320	20	22
290	320	18	20


英制尺寸 (INCH)

d(in)	D(in)	S(in)	H(in)
0.5	0.75	0.217	0.25
0.5	0.875	0.218	0.197
0.5	1	0.275	0.25
0.625	1	0.218	0.19
0.625	1.125	0.275	0.25
0.75	1.125	0.275	0.25
0.875	1.375	0.275	0.25
1	1.5	0.275	0.25
1.25	1.75	0.275	0.25
1.25	1.75	0.413	0.375
1.375	1.75	0.413	0.375
1.375	2	0.312	0.266
1.5	2	0.275	0.25
1.75	2.25	0.275	0.25
1.75	2.25	0.413	0.375
1.75	2.375	0.312	0.266
1.75	2.375	0.619	0.562
2	3.375	0.275	0.25
2	3.375	0.344	0.312
2	2.5	0.413	0.375
2	2.625	0.55	0.5
2	2.625	0.619	0.562
2.125	2.5	0.275	0.25
2.125	2.625	0.413	0.375
2.25	2.75	0.413	0.375
2.375	3	0.344	0.312
2.5	3	0.413	0.375
2.5	3.125	0.344	0.312
2.625	3.125	0.413	0.375
2.75	3.375	0.619	0.562
2.875	3.5	0.36	0.325
3	3.5	0.413	0.375



作为活塞杆密封

$r \leq 0.3$



作为活塞密封

d(in)	D(in)	S(in)	H(in)
3	3.625	0.619	0.562
3.75	4.5	0.413	0.375
4	4.5	0.562	0.511
4	4.75	0.413	0.375
4	4.75	0.5	0.536
4.5	5	0.413	0.375
4.75	5.5	0.437	0.36
5	5.75	0.539	0.482
5	6	0.825	0.75
5.5	6.25	0.413	0.375
5.75	6.5	0.413	0.375
7	7.5	0.275	0.25
7.75	8.75	0.55	0.5